

# ORDERPICKERS



STRONG PARTNERS.  
TOUGH TRUCKS.™

R30XM<sub>3</sub> | R30XMA<sub>3</sub> | R30XMS<sub>3</sub> | R30XMF<sub>3</sub>



# R30XM SERIES

## ■ Better Productivity Through Better Comfort.

Every Hyster® OrderPicker truck comes with more than 80 years of materials handling expertise behind it. And during those 80 years, we've designed every truck with our customers in mind. In fact, we involve our customers from start to finish in product design and creation. You've asked for reliable OrderPicker trucks that offer maximum comfort, so we tested and retested ergonomically superior designs to improve comfort, visibility and efficiency. The more comfortable your operators are, the more productive they are. And productivity is the bottom line for any business.

- 1-inch thick shock-absorbent floormat and flush-mounted footswitch allow a natural stance for driving in chassis or forks-first position. A 32" deep operator platform is also available.
- Console has a concave design that allows the operator to comfortably lean when driving in the forks-first direction, along with mounted fan for excellent upper-body ventilation.
- Adjustable multifunction control handle comes with three position adjustments that allow your operators to tailor its position relative to their preferred operating stance on the truck.
- Optional 6-inch height adjustable console dash facilitates a more tailored workstation.
- Superb rack visibility via a 'see-through' cantilevered grid-style overhead guard and widely spaced mast channels with rear mounted lift cylinders.
- Optional light package with high illumination spotlights for better illumination in those dimly lit areas of your warehouse.

## ■ Fewer Parts For Maximum Uptime.

Through ongoing design enhancements, our OrderPickers offer improved efficiency and reliability, along with quick, easy access to the serviceable areas. A view of the OrderPicker's motor compartment reveals uncluttered access with fewer components. Fewer parts means less to service, helps maximize truck uptime while minimizing your cost of ownership. And our side thrust plugs on the mast help simplify mast adjustments. All trucks come with a 12 Month/Unlimited Hours Full Truck Warranty, 3 Year/6,000-Hour Powertrain Warranty and a Lifetime Frame Warranty.



i<sup>3</sup> TECHNOLOGY™

## ■ On-Board Diagnostics


Hyster i<sup>3</sup> Technology™ integrates commonality among Hyster warehouse products and simplifies the way in which operators and technicians alike handle and service the truck. The Integrated Intelligent Interface ties together functionality, software, diagnostic codes, similar interfaces and is Hyster Tracker compatible.





## ■ Increased Productivity. Bottom Line.

To increase your speed, efficiency and productivity, our OrderPickers are equipped with the HySense continuous height-sensing control system. It replaces the 'step-downs' at pre-set intervals with smooth, gradual linear speed reduction that is barely noticeable to your operators. This enables a more refined braking action while traveling at extended heights, bolstering confidence and productivity. And productivity is the bottom line for any business.



*Our reliable Wire Guidance System securely grips the wire for worry-free steering, so operators can focus on the pick task at hand.*



*The pallet clamp automatically centers and grips the pallet to allow fast, easy order picking. The foot-operated pedal is easily actuated for quick pallet release. For special pallet handling, we offer a pallet grab with an opening from .5" to 6".*



*Uncluttered Access*



## ■ Four Model Configurations to Meet Your Application Needs.

### R30XM<sub>3</sub>

**Heavy duty counterbalance**  
Heights to 300"  
24V system (optional 36V)  
AC drive and optional AC hoist

Variable lift speed control  
Maximum travel speed: 6.5 mph  
Maximum lift speed: 67 ft/min  
Maximum lower speed: 80 ft/min



### R30XMA<sub>3</sub>

**Straddles loads**  
Heights to 360"  
24V system (optional 36V)  
AC drive and optional AC hoist

Variable lift speed control  
Maximum travel speed: 6.5 mph  
Maximum lift speed: 67 ft/min  
Maximum lower speed: 80 ft/min



### R30XMS<sub>3</sub>

**Standard duty counterbalance**  
Heights to 240"  
24V system  
AC drive and DC hoist

Single lift speed control  
Maximum travel speed: 6 mph  
Maximum lift speed: 40 ft/min  
Maximum lower speed: 52 ft/min



### R30XMF<sub>3</sub>

**Loads up to 96" long**  
Heights to 360"  
24V system (optional 36V)  
AC drive and DC hoist

Variable lift speed control  
Maximum travel speed: 6.5 mph  
Maximum lift speed: 67 ft/min  
Maximum lower speed: 80 ft/min



Hyster Company  
P.O. Box 7006  
Greenville, North Carolina  
27835-7006  
Part No. R30XM/SS  
9/2014 Litho in U.S.A.

Visit us online at [www.hyster.com](http://www.hyster.com) or call us at 1-800-HYSTER-1.

Hyster and ■ are registered trademarks of Hyster Company.  
Hyster products are subject to change without notice.

The Hyster Company products included in this document may be covered by U.S. Patent 6,684,148 and other patents pending.  
All trucks shown with optional equipment. ©2014 Hyster Company. All rights reserved.